

# INDEX MAPS.

**T. 1 N. R. 10 E. 2<sup>nd</sup> Mer.**

	389	389	389					
390	6	391	5	391	4	3	2	1
	391		392	392				
390	7	393	8	393	9	10	11	12
	394		394	393				
390	18	394	17		16	15	14	13
391	395							
391	19	20	21	22	23	24		
	30	29	28	27	26	25		
	31	32	33	34	35	36		

Ohio R.  
Meanders 395

**T. 2 N. R. 10 E. 2<sup>nd</sup> Mer.**

	397	398							
398	6	402	5	4	3	2	1		
	402	402							
399	7	403	8	9	10	11	12		
	403	403							
401	399	18	404	17	16	15	14	13	
	404	404							
401	399	19	405	20	21	22	23	24	
	405	405							
401	400	30	406	29	28	27	26	25	
	406	406							
401	400	31	407	32	407	33	34	35	36
	397	397	397						

Ohio R

Meanders 407

The figures on the lines refer to the page.

Township N. 2 North, Range N. 10 East 2. Mer. Ind<sup>a</sup> <sup>397</sup>  
Ch. 14

South Boundary var. 5.50'  
East On S. boundary of Sec. 31  
40.00 Set gr. Sec. post, from which  
a Sugar 12 in. dia. tray 171 E 10 S. dist. of  
a Beech 12 " " " N 57 W 54 " "  
66.25 a Walnut 24 " "  
80.00 Set post Cor. to Sec. 31 & 32, from which  
a Beech 24 in. dia. tray N 84 W 23 S. dist. of  
a No. 6 " " " N 80 E 35 " "  
Level poor land, timber Oak, Beech &c.

---

East On S. boundary of Sec 32  
15.00 a Brook 10 th. wide C. S. E.  
26.00 an Ash 12 in. dia.  
36.00 a Brook 10 th. wide C. S. W.  
40.00 Set gr. Sec. post, from which  
an Elm 12 in. dia. tray N 10 E 10 S. dist. of  
an Ironw. 5 " " " S 34 W 11 " "  
69.60 a R. Oak 30 " "  
80.00 Set post Cor. to Sec. 32 & 33, from which  
a Hickory 18 in. dia. tray N 72 W 17 S. dist. of  
a R. Oak 24 " " " S 54 E 27 " "  
Rich hills on 1<sup>st</sup> 1/2 mile, timber Ash, Sugar tree  
Walnut &c. last 1/2 mile poor hills Oak land

---

East On S. boundary of Sec. 33  
26.00 Intersected the Ohio, set post, from which  
a Sugar 7 in. dia. tray N 30 W 16 S. dist. of  
a Buckeye 14 " " " S 17 W 16 " "  
This distance down a steep hill

---

North Boundary var. 5.50' E.  
East On S. boundary of Sec. 31, S. 31. N. 10 E  
17.65 a Poplar 30 in. dia.  
32.60 a Sugar 12 " "  
33.00 a Brook 3 th. wide Course S. E.

T<sup>3</sup>S. R<sup>10</sup>E 2<sup>d</sup> Mer. Indiana

ch. lly

- 40.00 Set of Sec. post, from which  
an Elm 18 m. dist. - bear N 62° E 27 lly. dist. of  
a Spruce 18 " " " N 66° W 29 " "
- 47.50 a Brook 4 lly. wide Corner N. E.
- 64.40 a Beech 30 m. dist.
- 80.00 Set post Cor. to Sect. 31 & 32, from which  
a Beech 34 m. dist. - bear S 49° W 9 lly. dist. of  
a Do. 18 " " " N 77° E 29 " "
- First 1/2 mile part level of port hill land  
timber Oak, Beech, Elm, Sugar &c. last 1/2 mile  
rich bottom land Beech, Poplar &c.

- East On S. boundary of Sec. 32, T<sup>3</sup>S. R<sup>10</sup>E
- 14.00 Intersected the Ohio river, set post from which  
a Sycamore 14 m. dist. - bear N 55° W 23 lly. dist. of  
a Do. 14 " " " S 34° E 32 " "
- (Description of Land &c. Omitted)

- West Boundary var 5° 50' E.
- Set post Cor. to Township 2 of 3 North, of  
Range 9 of 10 E. from which  
a Hickory 24 m. dist. - bear S 22° W 23 lly. dist. of  
a Locust 18 " " " N 48° E 42 " "
- South On E. boundary of Sec. 1, T<sup>2</sup>S. R<sup>9</sup>E.
- 25.75 a Beech 18 m. dist.
- 40.00 Set of Sec. post, from which  
a Logwood 6 m. dist. - bear N 29° W 13 lly. dist. of  
an Ash 16 " " " S 52° E 22 " "
- 51.80 a Spruce 18 " "
- 53.50 a Brook 3 lly. wide Corner S. W.
- 80.00 Set post Cor. to Sect. 1 of 12, from which  
a Beech 12 m. dist. - bear N 67° E 7 lly. dist. of  
a Do. 12 " " " S 21° W 23 " "
- First 1/2 mile good oak land - last 1/2 mile  
stony hill side. Oak, Cedar, Beech &c.

S. N. 1210 E. 2. Mer. Indiana 399

ch. lky

South On E. boundary of Sec. 12, T2 N. 129 E.  
25.30 a W. Oak 18 m. dist.

40.00 let of. Sec. post, from which  
a W. Oak 14 m. dist. bray S 71 E 10 lky. dist. of  
a Sugar 6 " " " S 87 W 16 " "

48.00 a Creek 50 lky. wide Cr. E.

76.00 a Brook 6 " " " E.

80.00 let post Cor. to Sec. 12 & 13, from which  
a W. Oak 13 m. dist. bray N 47 W 20 lky. dist. of  
a Walnut 20 " " " N 85 E 21 " "  
First 1/2 mile level Oak land - last 1/2 mile  
hilly rich land Oak, Sugar, Buckeye &c.

South On E. boundary of Sec. 13, T2 N. 129 E.

23.00 a Beech 18 m. dist.

39.50 a Brook 5 lky. wide Comee E.

41.00 let of. Sec. post, from which  
a Beech 14 m. dist. bray S 52 E 2 lky. dist. of  
a Buckeye 6 " " " N 52 W 34 " "

57.50 a Poplar 36 " " "

62.00 a Brook 6 lky. wide Cr. E.

75.00 a Do 6 " " " E.

80.00 let post Cor. to Sec. 13 & 24, from which  
a W. Oak 40 m. dist. bray S 70 E 29 lky. dist. of  
a Beech 12 " " " S 55 W 29 " "  
Good level land on first half - last 1/2 hilly &  
stony land, timber Oak, Lyrn &c.

South On E. boundary of Sec. 24, T2 N. 129 E.

20.60 a Poplar 36 m. dist.

27.00 a Brook 6 lky. wide Cr. E.

40.00 let of. Sec. post, from which  
a Beech 15 m. dist. bray S 6 E 12 lky. dist. of  
a Elm 15 " " " N 9 E 22 " "

60.00 a Brook 6 lky. wide Comee E.

76.80 a Beech 12 m. dist.



400

T2N R10E. 2<sup>nd</sup> Mer. Indiana

Ch. lky.

80.00 Set post Cor. to Sect. 24 & 25, from which  
 a Gum 12 in. dia., brang N 22° W 10 lky. dist. of  
 a Do. 15 " " " N 19° E 21 " "  
 First 1/2 mile hilly (rocky land), Oak, Beech, Gum  
 &c. — last 1/2 level poor land Oak, Gum, Beech &c.  
 September 12<sup>th</sup> 1876.

South On E. boundary of Sec. 25, T2N. R9E.  
 20.00 a Brook 4 lky. wide Comee E.

27.18 a Beech 14 in. dia., br

40.00 Set of Sec. post, from which  
 a W. Oak 36 in. dia., brang N 28° E 7 lky. dist. of  
 a Gum 15 " " " N 19° W 50 " "

58.60 a Poplar 36 " " "

80.00 Set post Cor. to Sect. 25 & 36, from which  
 a B. Oak 24 in. dia., brang N 3° E 4 lky. dist. of  
 a W. Oak 12 " " " N 45° W 40 " "  
 First 1/2 level poor land — last 1/2 level good land  
 timber Oak, Beech, Gum &c.

South On E. boundary of Sec. 36, T2N. R9E.  
 5.00 a Brook 5 lky. wide C.S.W.

23.00 a Gum 18 in. dia.

35.00 a Brook 3 lky. wide C.S.W.

40.00 Set of Sec. post, from which  
 a Beech 14 in. dia., brang N 25° E 5 lky. dist. of  
 a Do. 9 " " " N 53° E 29 " "

68.50 a Brook 10 lky. wide Comee E.

80.00 Set post Cor. to Township 14 2 North, of  
 Range 9 & 10 East, from which  
 a Beech 16 in. dia., brang N 36° E 15 lky. dist. of  
 a Do. 10 " " " N 34° W 23 " "  
 Generally good land, timber Oak, Poplar,  
 Beech &c. Sept. 12<sup>th</sup> 1876

Surveyed by Alexander Holmes,  
 Deputy Surveyor

401

S 2 N. R 10 E. T. Mer. Indiana

ch 2<sup>th</sup>

The foregoing Town line was remeasured by Stephen Ludlow, and from his measurement, the stream, station trees &c. are all 5 chains too far north, or rather 5 chains north of their true place. Here follow Mr. Ludlow's notes

---

North On E. boundary of Sec. 36, T 2 N. R 9 E.  
 40.00 Set of Sec. post, from which  
     a W. Oak 12 in. dia. - bray S 31 W 36 ch. dist. of  
     a Do. 16 " " " N 58 E 39 " "  
 80.00 Set post Cor. to Sec. 25 of 36, from which  
     a Beech 8 in. dia. - bray S 10 E 20 ch. dist. of  
     a Do. 9 " " " N 28 W 31 " "  
 Level land, timber Beech Oak, Gum &c.

---

North On E. boundary of Sec. 25, T 2 N. R 9 E.  
 40.00 Set of Sec. post, from which  
     a W. Oak 10 in. dia. - bray East 6 ch. dist. of  
     a Gum 14 " " " S 78 W 29 " "  
 80.00 Set post Cor. to Sec. 24 of 25, from which  
     a Beech 8 in. dia. - bray West 14 ch. dist. of  
     a W. Oak 36 " " " East 12 " "

---

North On E. boundary of Sec. 24, T 2 N. R 9 E.  
 40.00 Set of Sec. post, from which  
     a Poplar 36 in. dia. - bray S 40 W 21 ch. dist. of  
     a Beech 12 " " " S 17 W 12 " "  
 80.00 Set post Cor. to Sec. 13 of 24, from which  
     a Mulberry 12 in. dia. - bray N 39 W 6 ch. dist. of  
     a Poplar 60 " " " S 4 W 28 " "

---

North On E. boundary of Sec. 13, T 2 N. R 9 E.  
 40.00 Set of Sec. post, from which  
     a W. Walnut 20 in. dia. - bray S 48 W 12 ch. dist. of  
     a Beech 22 " " " N 70 E 17 " "  
 80.00 Set post Cor. to Sec. 12 of 13, from which

402 Set N 10 E 2<sup>1</sup>/<sub>2</sub> Mer. Indiana  
ch<sup>2</sup>ky  
at Mulberry 14 in dia. bears N 46 W 17 lh. dist. of  
a Beech 12 " " " N 40 E 25 " "

---

North On E. boundary of Sec. 12, T 29 N. R 9 E.

40.00 Set q. Sec. post, from which  
an Elm 60 in. dia. bears N 33 W 19 lh. dist. of  
a Do 16 " " " N 68 E 17 " "

80.00 Set post Cor. to Sec. 1 of 12, from which  
a Poplar 24 in. dia. bears N 80 E 13 lh. dist. of  
a Do. 18 " " " N 40 W 31 " "

---

North On E. boundary of Sec. 1, T 29 N. R 9 E

40.00 Set q. Sec. post, from which  
a Beech 16 in. dia. stands for q. Sec. post  
85.12 to Township Corner. May. 1807

Resurveyed by  
Stephen Judlow,  
Deputy Surveyor

---

### Subdivision

South Between Sec. 5 & 6

40.00 Set q. Sec. post. from which  
a Beech 12 in dia. bears N 18 E 5 lh. dist. &  
a Do. 10 " " " N 78 W 9 " "

55.00 a small brook course E.

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Gum 18 in. dia. bears N 80 W 13 lh. dist. &  
a Beech 10 " " " N 79 E 25 " "  
Level 3<sup>rd</sup> rate Land timber Beech Soil wet & Cold,

---

West On Random between Sec. 6 & 7

40.00 Set temp. q. Sec. post.

81.00 Intersected the N. boundary 100 lh. d. of post.  
Land broken 3<sup>rd</sup> rate timber Beech Gum Poplar &c.

---

East Connected between Sec. 6 & 7

# 403

## S. N. E. 2. Mer. Indiana

Ch. 1/4

20.00 a Spring branch course S.

40.50 Set qf. Sec. post, at average, dist. from which  
a Gum 22 in. dia. bears N 40 E 9 lks. dist. &  
a No. 12 " " " S 10 E 13 " "

50.00 begin to descend a steep hill much larger

81.00 to Section Corner

East Between Sec. 5 & 8

9.75 Intersected the Ohio river a Beech 6 in dia. stands  
for the Corner - Beech &c. for timber -

South Between Sec. 7 & 8

40.00 Set qf. Sec. post, from which  
a Beech 10 in. dia. bears N 30 W 26 lks. dist. &  
a No. 12 " " " S 20 E 20 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
a Beech 10 in. dia. bears West 8 lks. dist. &  
a No. 12 " " " S 20 E 12 " "  
Level 2<sup>d</sup> rate Land timber Beech Poplar much  
injured by some person Cutting & rafting timber falls -

West On Prandom between Sec. 7 & 18.

40.00 Set temp. qf. Sec. post.

81.50 Intersected the W. boundary 110 lks. S. of post.  
broken land timber Beech. Ash. Oak &c. 3<sup>d</sup> rate -

East Connected between Sec. 7 & 8

40.75 Set qf. Sec. post, at average dist. from which  
an Elm 12 in. dia. bears N 11 E 11 lks. dist. &  
a Hickory 10 " " " East 6 " "

41.00 a Stream 16 lks. wide Course S.

81.50 to Section Corner

East Between Sec. 8 & 17

7.00 Intersected the Ohio river. Set post, from which  
a Beech 15 in. dia. bears N 19 W 15 lks. dist.



404

S.W. R10 E. 2<sup>d</sup> Mer. IndianaCh. P. 1<sup>st</sup>

a Beech 16 in. dia. bears S 21 W 17 lks. dist.  
Land level timber Beech -

South Between Sec. 17 &amp; 18

10.00 a Stream 20 lks. wide Course S.E.

36.00 a No. 12 " " E.

40.00 Set of. Sec. post, from which  
a Beech 12 in. dia. bears S 60 W 24 lks. dist. &  
a No. 14 " " " S 40 W 10 " "

80.00 Set post Corner to Sec. 17, 18, 19 & 20, from which  
a Beech 12 in. dia. bears S 78 W 11 lks. dist. &  
a W. Ash 22 " " " N 80 E 9 " "  
this mile level Bottom, the river Hill 300 lks. to  
our right - timber Beech Poplar Spice &c.

East Between Sec. 17 &amp; 20.

10.50 Intersected the Ohio river. Set post, from which  
a Sugar 10 in. dia. bears North 14 lks. dist. &  
a No. 8 " " " S 69 W 17 " "  
2<sup>nd</sup> rate Bottom timber Beech Buckeye Spice &c.

West On Random between Sec. 18 &amp; 19

40.00 Set temp. of. Sec. post.

80.00 Intersected the W. boundary 9 lks. S. of post.

Land broken & very Hilly 3<sup>rd</sup> rate. timber Beech Ash  
Oak Buckeye Soil rich -

East Corrected between Sec. 18 &amp; 19

22.00 a Brook 8 lks. wide Course - begin to ascend a Hill -

40.00 Set of. Sec. post. in small improvement at average dist.  
from which Poplar 36 in. dia. bears N 4 E 37 lks. dist. &  
No. 36 " " " S 30 W 11 " "

42.00 begin to descend a Steep Hill

77.00 a Walnut 36 in. dia. in the line

80.00 To Section Corner

# 405

## S. N. R. W. E. 2<sup>d</sup>. Mer. Indiana

Ch. 1<sup>st</sup> lly

South Between Sect. 19 & 20

10.00 begin to ascend a steep hill length ways with the river. Cliffs of rocks

31.00 over a cliff of rocks 30 feet high

40.00 Set of. Sec. post on the top of the river hill a fine view of the river upwards Set a post from which an Elm 10 in. dia. bears S 60 W 12 lbs. dist. & a W. Oak 36 " " " N 30 W 31 " "

68.50 a Spring branch runs E. much large rocks on each side

80.00 Set post Cor. to Sect. 19 20, 29 & 30, for which a Walnut 10 in. dia. stands for the corner. this mile goes length ways with the river Cliff Land 3<sup>d</sup>. rate timber Oak Ash Gum &c.

East Between Sect. 20 & 29

15.00 begin to descend a steep hill

32.68 Intersected the Ohio river. Set a post from which an Elm 8 in. dia. bears S 30 E 11 lbs. dist. & a Gum 15 " " " N 33 W 37 " "

this distance very hilly almost impossible to Chain with hind of accuracy - 3<sup>d</sup>. rate Land -

West On Random between Sect. 19 & 30

40.00 Set temp. of. Sec. post.

69.00 a Stream 6 lbs. wide Course N.

80.50 Intersected the N. boundary 21 lbs. S. of post.

Land level 2<sup>d</sup>. rate - timber Beech Oak Hickory Poplar Gum &c. Spice

East Connected between Sect. 19 & 30

17.00 a Stream 6 lbs. wide Course N.

40.25 Set of. Sec. post. at average dist. from which a W. Oak 40 in. dia. bears S 60 E 16 lbs. dist. & a Poplar 30 " " " N 70 E 23 " "

80.50 to Section Corner

S. N. P. M. E. 2<sup>nd</sup> Mer. Indiana

Ch. P. M.

South Between Sect. 29 &amp; 30

26.25 a Poplar 24 in. dia.

32.00 a Spring branch course E. a Clift of Rock on each Side 20 feet high

40.00 Set of. Sec. post. from which

a Black Oak 22 in. dia. bears S 60 E 22 lks. dist. &amp;

a No. 18 " " " N 38 W 44 " "

79.50 a Spring branch runs E. rocks on each Side

80.00 Set post Cor. to Sect. 29, 30, 31 &amp; 32, from which

a Beech 6 in. dia. bears N 10 W 9 lks. dist. &amp;

a No. 12 " " " S 6 E 32 " "

Land level 2<sup>nd</sup> rate - timber Beech Oak Poplar &c.

East Between Sect. 29 &amp; 32

40.00 Set of. Sec. post. from which

a W. Ash 28 in. dia. bears S 70 E 7 lks. dist. &amp;

a Dogwood 3 " " " N 66 W 18 " "

43.00 a Small Brook course N. E.

71.00 Intersected the Ohio river, a Beech 14 in. dia.

Stands for the Corner -

this mile all Hill Cliffs & every thing that is bad  
timber Beech, Oak, Ash &c. Land 3<sup>rd</sup> rate

West On Bandon between Sect. 30 &amp; 31

40.00 Set temp. of. Sec. post.

80.00 Intersected the W. boundary 30 lks. S. of post.

this mile level 2<sup>nd</sup> rate Land timber Beech Oak  
Poplar Ash &c.

East Connected between Sect. 30 &amp; 31.

14.00 a Brook 6 lks. wide course S. W.

40.00 Set of. Sec. post. at average dist. from which

a Beech 16 in. dia. bears N 26 E 21 lks. dist. &amp;

a No. 10 " " " S 49 W 22 " "

54.90 a Poplar 24 " "

80.00 to Section Corner

# 407

## S. N. P. W. E. 2<sup>d</sup>. Mer. Ind.

ch. l. h.

South Between Sect. 31 & 32

35.00 an improvement 10.00 lks. to our right

40.00 Set of. Sec. post. from which  
a Beech 18 in. dia. bears N10 W19 lks. dist. &  
a No. 10 " " " N80 E27 " "

86.50 Intersected the S. boundary 10 lks. N. of the post.  
let the Old Corner stand for this line as it is so  
near — this mile broken timber Oak Gum &c.  
3<sup>d</sup>. rate Land —

North Between Sect. 32 & 33

8.00 Enter fallen timber leads E. & N.

15.00 Enter timber Land —

46.50 Set of. Sec. post. from which  
a B. Ash 12 in. dia. bears East 15 lks. dist. &  
a B. Oak 3 " " " N60 W13 " "  
begins to descend the river Hill

73.34 Intersected the Ohio river, Set post. from which  
a Buckeye 18 in. dia. bears N10 W25 lks. dist. &  
and no other tree near.  
this mile broken with many layers of rock —  
timber Oak Beech Ash Buckeye &c. 3<sup>d</sup>. rate Land

Meanders of the Ohio River Beginning at a  
post in S. boundary thence up stream

N11 W 7.40 in Sec. 33

N16 W 29.62

N20 W 7.74

N25 W 30.73

N18 W 5.00 to line between Sect. 32 & 33.

N19 W 7.25 in Sec 32

N25 W 9.00 to line between Sect. 29 & 32

N20 W 8.50 in Sec. 29

N23 W 8.50



408

S. N. R. E. 2<sup>d</sup> Mer. Indiana

Course distance

N 30 W	19.53	
N 25 W	12.40	
N 26 W	9.17	
N 29 W	21.64	
N 22½ W	8.20	to line between Sec. 20 & 29

N 25 W	29.00	in Sec. 20
N 14 W	8.50	
N 20 W	9.72	
N 10 W	29.23	
N 5 W	7.28	to line between Sec. 17 & 20

N 7 W	8.61	in Sec. 17.
North	12.44	
N 8 W	5.00	
North	22.00	to line between Sec. 8 & 17

N 4 W	9.00	in Sec. 8.
North	46.19	
N 6 E	19.00	
N 9 E	6.00	to line between Sec. 5 & 8

N 3½ E	34.24	in Sec. 5
N 10 E	6.23	
N 5 E	11.45	
N 3½ E	11.57	
North	12.44	
N 5 E	4.55	to post in N. boundary.

Surveyed in May 1807 By  
Stephen Ludlow,  
Deputy Surveyor

copy?

I certify that the foregoing transcript of field notes  
of township N. 2 North, Range N. W. East 2. Mer.  
Indiana, has been compared with the original notes  
in this Office, and found to be correct.  
Surveyor General's Office  
Cincinnati, Nov. 18. 1842

William Johnston  
Sur. Genl.